

## SPB-15 1-15mm Multi-function Metal Manual Plate Chamfer

## SPB-10 1-10mm Multi-function Metal Manual Plate Chamfer



**Model: SPB-15/SPB-10**  
**Voltage: 220-240V**  
**Working Frequency: 50/60HZ**  
**Motor Power: 2450W/1400W**  
**Rotation: 500-1500mm/min**  
**Beveling Width: 1-15mm(Q235)/1-10mm**  
**Weight: 8.5/6.5Kg**  
**Tool Bit Qty: 4/5 pieces**  
**Processing Materials: Carbon Steel,Stainless Steel,**  
**Aluminum alloy,Composite Plate**  
**Country of Origin: China**

Model	SPB-15	SPB-10
Voltage	220-240V	220-240V
Working Frequency	50/60HZ	50/60HZ
Motor Power	2450W	1400W
Rotation	500-1500mm/min	500-1000mm/min
Beveling Angle	30° (The standard) 20°37.5°45°55°60° (optional)	30° (Standard) 37.5°45°
Beveling Width	1-15mm(Q235)	1-10mm
Weight	8.5Kg	6.5Kg
Tool Bit Qty	4/5pcs	4/5pcs

## SSCB Series 63-114mm Metabo Cam-type Metal Manual Plate Chamfer




**Model: SSCB Series**  
**Processing range: 63-114mm**  
**Pipe wall thickness: ≤12mm**  
**The knife dish speed: 30-120r/min**  
**Weight: 13/16kg**  
**Drive Options: Pneumatic,Hydraulic,Electric**  
**Feed mode: Star wheel,automatically**  
**Material: low temperature steel, titanium alloy steel,etc**  
**Layout: Vertical**  
**Feed rate: Fixed 0.08mm/circle**  
**Packaging: Plywood case**  
**Country of Origin: China**

### Machine standard configuration

1. Calibration clamping system
2. Customized storage box
3. Operating tools
4. Product specification
5. Qualified inspection report

The machine model	Processing range	Pipe wall thickness	The knife dish speed	The weight
SSCB-63	Ø14-63mm	≤12mm	30-120r/min	13kg
SSCB-114	Ø57-114mm	≤12mm	30-120r/min	16kg

## SISO Series OD Mounted Portable Automatic Plate Chamfer



**Model: SISO Series**  
**Working range(OD): 63-114mm**  
**Wall thickness: ≤12mm**  
**Clamp size(OD): 28-114**  
**Processing Materials: PVC/plastic/copper/stainless steel /carbon steel,etc**  
**Core components: engines/gears**  
**Driven Type: Metabo Electric Motor**  
**Body: Aluminum**  
**Mounting Method: Split OD Mount**  
**Brand: SAIVS**  
**Country of Origin: China**

**Features:**  
 OD-Mounted  
 Lightweight  
 Adjustable speed  
 Compact design, good rigidity  
 Tool feed/back automatically

Model	Working Range (OD mm)	Wall thickness	Clamp Size (OD mm)
SISO-63C	28-63	≤12mm	28, 32, 42, 45, 54, 57, 60, 63
SISO-76C	42-76		42, 45, 54, 57, 60, 63, 68, 76
SISO-89C	63-89		63, 68, 76, 83, 89
SISO-114C	76-114		76, 83, 89, 95, 102, 108, 114

## SPB-R3 Pneumatic Chamfering Machine



**Model: SPB-R3**  
**Weight: 3.9kg**  
**Milling Speed: 3m/min**  
**Air hose I.D: ≥10**  
**Air pressure: 0.4~0.63Mpa**  
**Tool Bits Qty: 3 PCS**  
**Minimum Working Radius: R16**  
**Milling Angle: R1-3**  
**Plate Thickness: ≥9mm**  
**Automatic Grade: Automatic**  
**Power Source: Electric**  
**Cutting Mode: Plasma Cutting**  
**Country of Origin: China**

Dimension	Guide Plate150,Height160
Tool Bit Qty	3pcs
Minimum Working Radius	R16
Milling Angle	R1~3
Plate Thickness	≥9mm
Weight	3.9kg
Milling Speed	3m/min
Air hose I.D	≥10
Air pressure	0.4~0.63Mpa